

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office AUG 16 2001

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed DEC 30 1997 under 63695

\*\*\*\*\*

The applicant **Mt. Rose Development Company** hereby make application for permission to change the **Place of use** of water heretofore appropriated under **63698**

\*\*\*\*\*

1. The source of water is **underground**
2. The amount of water to be changed **0.01 cfs**
3. The water to be used for **Quasi-municipal**
4. The water heretofore permitted for **Quasi-municipal**
5. The water is to be diverted at the following point **SW $\frac{1}{4}$  SW $\frac{1}{4}$  Section 19, T17N, R19E, MDM, or at a point from which the South  $\frac{1}{4}$  corner of said Section 19 bears, S 73° 09' 07" E a distance of 2,227 feet**
6. The existing permitted point of diversion is located within
7. Proposed place of use **Portions of NE $\frac{1}{4}$ , SE $\frac{1}{4}$ , a portion of NE $\frac{1}{4}$  SW $\frac{1}{4}$ , SE $\frac{1}{4}$  SW $\frac{1}{4}$  Section 19; a portion of SW $\frac{1}{4}$  NW $\frac{1}{4}$  SW $\frac{1}{4}$ , NW $\frac{1}{4}$  SE $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$  Section 20; N $\frac{1}{2}$  NW $\frac{1}{4}$  NE $\frac{1}{4}$ , NE $\frac{1}{4}$  NE $\frac{1}{4}$ , SE $\frac{1}{4}$  NE $\frac{1}{4}$  Section 30, NW $\frac{1}{4}$ , NW $\frac{1}{4}$  NE $\frac{1}{4}$  Section 29, T17N, R19E, MDM**
8. Existing place of use **NE $\frac{1}{4}$ , N $\frac{1}{2}$  SE $\frac{1}{4}$ , NE $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 19, T17N, R19E, MDM**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **water well, distribution lines, above-ground storage tank**
12. Estimated cost of works **\$1,000,000.00**
13. Estimated time required to construct works **5 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **This water will be used for snow making, ski lodge, and planned condominiums. The amount of water to be changed is 4.99 acre feet per year. The combined annual duty of permits 63695, 63696, 63697, 63698 and 66890 will be limited to 100 acre feet per year.**

By **Dale C. Bugenig**  
s/**Dale C. Bugenig**  
**6490 So. McCarran Blvd., Ste. 1**  
**Reno, Nevada 89509**

Compared my/cmf lb/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use of the waters of an underground source as heretofore granted under Permit 63698 is issued subject to the terms and conditions imposed in said Permit 63698 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 67914, 67915, 67916, 67917 and 67918, shall not exceed 100 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.01 cubic feet per second, but not to exceed 4.99 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Water must be placed to beneficial use on or before:

September 17, 2004

Proof of the application of water to beneficial use shall be filed on or before:

October 17, 2004


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,

this 17th day of, September A.D. 2002

  
State Engineer

Completion of work filed October 24, 2000 under 63695

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

